

MATERIAL SAFETY DATA SHEET

Issuing date 2013-11-15

Revision Date 2013-11-15

Version 4

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: KODAK RP X-OMAT Developer and Replenisher, Part B
 RP X-OMAT Developer and Replenisher, Part B

Product code: 1249259B

Supplier Carestream Health, Inc., 150 Verona Street, Rochester, New York 14608

Emergency telephone number
 CHEMTREC: +1-703-527-3887 (INTERNATIONAL)
 1-800-424-9300 (NORTH AMERICA)

For other information contact: 800-328-2910

Product Use: Photographic chemical.

2. HAZARDS IDENTIFICATION

DANGER!

Emergency Overview

Corrosive

The product causes burns of eyes, skin and mucous membranes
 Harmful by inhalation, in contact with skin and if swallowed
 Contains a known or suspected reproductive toxin

Physical state liquid

Odor Pungent

Color orange

HMIS

Health Hazard - 3*

Flammability - 1

**Physical - 0
 Hazard**

Potential Health Effects

Eyes

Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Skin

Causes burns.

Inhalation

May be harmful if inhaled. Irritating to mucous membranes. Irritating to respiratory system.

Ingestion

May be harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth, throat, and stomach.

Chronic Effects

Chronic toxicity

Avoid repeated exposure. Possible risks of irreversible effects. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Contains a known or suspected reproductive toxin.

Aggravated Medical Conditions

Preexisting eye disorders. Skin disorders. Respiratory disorders.

Environmental hazard

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Chemical Name	CAS-No	Weight %
Acetic acid	64-19-7	60-70
3-Pyrazolidinone, 1-phenyl-	92-43-3	10-15

Non-Hazardous

Chemical Name	CAS-No	Weight %
Water	7732-18-5	20 - 25

4. FIRST AID MEASURES

General advice	Immediate medical attention is required. Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediate medical attention is required. Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while rinsing. If easy to do, remove contact lens, if worn.
Skin contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Immediate medical attention is required. Move to fresh air. Artificial respiration and/or oxygen may be necessary.
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.
Notes to physician	Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.
Protection of First-aiders	Use personal protective equipment. Avoid contact with skin, eyes and clothing.

5. FIRE-FIGHTING MEASURES

Flash point:	> 93.4 °C
Suitable Extinguishing Media	The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Hazardous Combustion Products	Hazardous decomposition products due to incomplete combustion: Carbon oxides, Hydrocarbons, Aldehydes.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA **Health Hazard - 3** **Flammability - 1** **Stability - 0**

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing.
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically and collect in suitable container for disposal. Clean contaminated surface thoroughly.
Other information	Refer to protective measures listed in Sections 7 and 8.

7. HANDLING AND STORAGE

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. When using, do not eat, drink or smoke. Wash thoroughly after handling. Keep container tightly closed.
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at temperatures between 5°C and 30°C.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Acetic acid 64-19-7	STEL 15 ppm TWA: 10 ppm		TWA: 10 ppm TWA: 25 mg/m ³	

Occupational Exposure Controls

Engineering Measures	Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
General Information	These recommendations apply to the product as supplied.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Eye/Face Protection	Tightly fitting safety goggles. Face-shield.
Skin and body protection	Impervious clothing. Boots. Chemical resistant apron.

Hand Protection Impervious gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid
ph 0.6
Flash point: > 93.4 °C
Boiling point/boiling range No information available

Odor Pungent
Color orange
Autoignition temperature: No information available

Vapor Pressure No information available
Vapor density No information available
Density 1.083 g/cm³
Water Solubility completely soluble
Melting point/range: No information available
Specific Gravity No information available
Bulk Density: No information available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Incompatible products Amines. Metals. Bases. Strong oxidizing agents.

Conditions to Avoid Exposure to air or moisture over prolonged periods. Heat, flames and sparks.

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides. Nitrogen oxides (NO_x).

Hazardous Polymerization Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

Skin Causes burns.

Eyes Causes burns. Corrosive to the eyes and may cause severe damage including blindness.

Inhalation May be harmful if inhaled. Irritating to mucous membranes. Irritating to respiratory system.

Ingestion May be harmful if swallowed. Ingestion causes burns of the upper digestive and respiratory tracts. Can burn mouth, throat, and stomach.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid	3310 mg/kg (Rat)	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h
Water	90,000 mg/kg (Rat)		
3-Pyrazolidinone, 1-phenyl-	200 mg/kg (Rat)		

Chemical Name	Other applicable information
Acetic acid	Severe eye irritation Severe skin irritation Acute overexposure to extremely high airborne concentrations of respiratory irritants has been associated with development of an asthma-like reactive airways syndrome (RADS) in susceptible individuals. Extremely high airborne concentrations are not generated during normal conditions of use but may occur following a spill. The potential to generate extremely high airborne concentrations in a spill situation depends upon physical factors such as the concentration of the solution, the volume of the spill, the surface area of the spill, the size of the room where the spill occurred, and the ventilation rate in the room.
3-Pyrazolidinone, 1-phenyl-	Mild skin irritation Mild skin irritation Repeated exposure Mild eye irritation Did not cause sensitization on laboratory animals. guinea pig Based on repeated-dose ingestion studies in animals, this chemical may cause blood, testicular, and adverse reproductive effects.

Subchronic toxicity No information available

Chronic toxicity Avoid repeated exposure. Possible risks of irreversible effects. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Contains a known or suspected reproductive toxin.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Sensitization May cause sensitization of susceptible persons.

Reproductive toxicity Contains ingredients that are suspected reproductive hazards.

Target Organ Effects Respiratory system, Eyes, Skin, Teeth, Blood, Testes.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Acetic acid		LC50= 79 mg/L Pimephales promelas 96 h LC50= 75 mg/L Lepomis macrochirus 96 h	EC50 = 47 mg/L 24 h (Daphnia magna) EC50 = 65 mg/L 48 h (Daphnia magna)

Persistence and degradability

Bioaccumulation: - No information available

Mobility - No information available

Chemical Name	log Pow
Acetic acid	-0.31

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

DOT

UN/ID No UN2790
Proper Shipping Name Acetic acid solution
Hazard class 8
Packing Group II
Special Provisions A3, A6, A7, A10, B2, IB2, T7, TP2
Emergency Response Guide Number 153

TDG

UN/ID No UN2790
Proper Shipping Name Acetic acid solution
Hazard class 8
Packing Group II

ICAO/IATA

UN/ID No UN2790
Proper Shipping Name Acetic acid solution
Hazard class 8
Packing Group II
ERG Code 8L

IMDG/IMO

UN/ID No UN2790
Proper Shipping Name Acetic acid, solution
Hazard class 8
Packing Group II
EmS No. F-A, S-B

For transportation information, go to: <http://ship.carestreamhealth.com>.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			X

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

Chemical Name	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Acetic acid - 64-19-7		Group II		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Product RQ
Acetic acid	5000 lb		

TSCA

This product does not contain any chemicals regulated under TSCA Section 4, Section 5(a), Section 8(a) or Section 8(d).

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic acid	X	X	X		X

International Regulations

Mexico - Grade Serious risk, Grade 3

Chemical Name	Carcinogen Status	Exposure Limits
Acetic acid		Mexico: TWA 10 ppm Mexico: TWA 25 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 37 mg/m ³

16. OTHER INFORMATION

Disclaimer for Label

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

DANGER!

- Contains:

Hazardous Components

Chemical Name	CAS-No	Weight %
Acetic acid	64-19-7	60-70
3-Pyrazolidinone, 1-phenyl-	92-43-3	10-15

Corrosive. The product causes burns of eyes, skin and mucous membranes. Harmful by inhalation, in contact with skin and if swallowed. Contains a known or suspected reproductive toxin.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Additional information is given in the Material Safety Data Sheet.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text