

MATERIAL SAFETY DATA SHEET

Issuing date 2013-11-08

Revision Date 2013-11-08

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: RP X-OMAT Developer and Replenisher, Part A
KODAK RP X-OMAT Developer and Replenisher, Part A

Product code: 1318989

Supplier Carestream Health, Inc., 150 Verona Street, Rochester, New York 14608

Emergency telephone number
CHEMTREC: +1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

T: +82-2-3438-7300

Synonyms PCD 6159

Product Use: Restricted to professional users. Photographic chemical.

2. HAZARDS IDENTIFICATION

Warning!

Emergency Overview

May be harmful if swallowed
Causes eye irritation.

May cause central nervous system depression
May cause adverse kidney effects

Physical state liquid

Odor Odorless

Color light yellow

HMIS

Health Hazard - 2*

Flammability - 1

Physical - 0
Hazard

Potential Health Effects

Eyes

Skin

Irritating to eyes. Risk of serious damage to eyes.
May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.
Repeated exposure may cause skin dryness or cracking.

Inhalation

No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Ingestion

May be harmful if swallowed. May cause adverse kidney effects. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Chronic Effects

Chronic toxicity

Effects expected to be similar to those seen acutely.

Aggravated Medical Conditions

Central nervous system. Preexisting eye disorders. Skin disorders. Respiratory disorders. Use of alcoholic beverages may enhance toxic effects.

Environmental hazard See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Chemical Name	CAS-No	Weight %
Potassium sulfite	10117-38-1	20 - 25
Hydroquinone	123-31-9	5 - 10
Diethylene glycol	111-46-6	1 - 5
Sodium carbonate	497-19-8	1 - 5
Sodium sulfite	7757-83-7	1-5
Sodium borate	1330-43-4	0.1-1

Non-Hazardous

Chemical Name	CAS-No	Weight %
Water	7732-18-5	60-70

4. FIRST AID MEASURES

General advice	Show this material safety data sheet to the doctor in attendance.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediate medical attention is required.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. Get medical attention immediately if symptoms occur.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point:	> 93.3 °C > 200 °F
Method	Seta closed cup
Suitable Extinguishing Media	Water spray. Carbon dioxide (CO ₂). Alcohol-resistant foam. Dry chemical.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Hazardous Combustion Products	Hazardous decomposition products due to incomplete combustion.

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA **Health Hazard - 2** **Flammability - 1** **Stability - 0**

6. ACCIDENTAL RELEASE MEASURES

Personal precautions For personal protection see section 8. Ensure adequate ventilation.

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Clean contaminated surface thoroughly.

Other information See Section 12 for additional information.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Technical measures/Storage conditions Keep at temperatures between 5°C and 30°C. Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Hydroquinone 123-31-9	TWA: 1 mg/m ³		TWA: 2 mg/m ³	
Diethylene glycol 111-46-6		TWA: 10 mg/m ³		
Sodium borate 1330-43-4	STEL 6 mg/m ³ TWA: 2 mg/m ³			
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³			

Occupational Exposure Controls

Engineering Measures Ensure adequate ventilation. Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

General Information These recommendations apply to the product as supplied.

Respiratory protection Use only with adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Eye/Face Protection Safety glasses with side-shields. If splashes are likely to occur, wear:: Goggles.

Skin and body protection Wear suitable protective clothing.

Hand Protection Impervious gloves.

Other Protective Equipment Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid
ph 11.4
Flash point: > 93.3 °C Seta closed cup
Boiling point/boiling range > 100 °C

Odor Odorless
Color light yellow
Autoignition temperature: No information available

Vapor Pressure 24 mbar @ 20 °C
Vapor density 0.6
Density No information available
Water Solubility completely soluble
Melting point/range: No information available
Specific Gravity 1.31
Bulk Density: No information available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Incompatible products Strong oxidizing agents. Acids.

Conditions to Avoid Heat, flames and sparks.

Hazardous Decomposition Products Carbon oxides, Sulfur oxides.

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions Contact with strong acids liberates sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

Skin May cause skin irritation and/or dermatitis. May cause sensitization by skin contact. Repeated exposure may cause skin dryness or cracking.

Eyes Irritating to eyes. Risk of serious damage to eyes.

Inhalation No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Ingestion May be harmful if swallowed. May cause adverse kidney effects. May cause central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90,000 mg/kg (Rat)		

Hydroquinone	320 mg/kg (Rat)	> 4800 mg/kg (Rat)	
Diethylene glycol	12565 mg/kg (Rat)	11890 mg/kg (Rabbit)	
Sodium carbonate	4090 mg/kg (Rat)		2300 mg/m ³ (Rat) 2 h
Sodium sulfite	820 mg/kg (Rat)		22 mg/L (Rat) 1 h 5.5 mg/L (Rat) 4 h
Sodium borate	2403 mg/kg (Rat)	2000 mg/kg (Rabbit)	
Chemical Name		Other applicable information	
Potassium sulfite		Moderate skin irritation	
Hydroquinone		Moderate eye irritation Causes sensitization on guinea-pigs. Mild skin irritation Can be absorbed through skin. (1.1 ug/cm ² /hr) Negative in bacterial mutagenicity assays. Evidence for mutagenicity (chromosome breakage, sister-chromatid exchanges) in in vivo and in vitro animal studies. Hydroquinone has been classified as a Category 3 mutagen and carcinogen by the European Union based on testing of rats and mice given hydroquinone by stomach tube or at high dietary levels. The International Agency for Research on Cancer (IARC) under ranking for cancer potential has classified hydroquinone in Group 3, i.e. "not classifiable" as a carcinogen. In the European Union a Category 3 mutagen attracts the risk phrase R68 "Possible risk of irreversible effects" at concentrations above 1%, and a Category 3 carcinogen attracts the risk phrase R40 "Limited evidence of a carcinogenic effect" at concentrations above 1%. Exposure to products containing such substances should be controlled to below established control limits and special care should be taken with pregnant or breast-feeding women to ensure appropriate controls are in place to control the risk.	
Diethylene glycol		Mild skin irritation Mild eye irritation Can cause kidney damage and CNS effects following ingestion. Repeated oral exposure to high doses can cause liver damage.	
Sodium carbonate		Mild skin irritation	
Sodium sulfite		No skin irritation Mild eye irritation	
Sodium borate		Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.	

Subchronic toxicity No information available

Chronic toxicity Effects expected to be similar to those seen acutely.

Carcinogenicity Contains a known or suspected carcinogen.
- EU Carc.Cat.3.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydroquinone	A3			

ACGIH: (American Conference of Governmental Industrial Hygienists)
A3 - Animal Carcinogen

Sensitization This mixture contains hydroquinone which is classified as a dermal sensitizer in some jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this mixture is not expected to present a dermal sensitization hazard to humans.

mutagenic effects No specific testing was done on this product. Mutagenic testing of the hazardous ingredient in this product has resulted in some positive mutagenic results.

Reproductive toxicity Contains ingredients that are suspected reproductive hazards. However, based on available data the product should not be classified for reproductive effects.

Target Organ Effects Skin, Eyes, Respiratory system, Central nervous system, Kidney, Liver.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects Very toxic to aquatic organisms.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Potassium sulfite		LC50 220 - 460 mg/L <i>Leuciscus idus</i> 96 h	
Hydroquinone	13.5 mg/L EC50 120 h (<i>Desmodesmus subspicatus</i>) 0.335 mg/L EC50 72 h (<i>Pseudokirchneriella subcapitata</i>)	LC50 0.1 - 0.18 mg/L <i>Pimephales promelas</i> 96 h LC50= 0.044 mg/L <i>Pimephales promelas</i> 96 h LC50= 0.17 mg/L <i>Brachydanio rerio</i> 96 h LC50= 0.044 mg/L <i>Oncorhynchus mykiss</i> 96 h	EC50 = 0.29 mg/L 48 h (<i>Daphnia magna</i>)
Diethylene glycol		LC50= 75200 mg/L <i>Pimephales promelas</i> 96 h	EC50 = 84000 mg/L 48 h (<i>Daphnia magna</i>)
Sodium carbonate	242 mg/L EC50 120 h (<i>Nitzschia</i>)	LC50 310 - 1220 mg/L <i>Pimephales promelas</i> 96 h LC50= 300 mg/L <i>Lepomis macrochirus</i> 96 h	EC50 = 265 mg/L 48 h (<i>Daphnia magna</i>)
Sodium sulfite		LC50 220 - 460 mg/L <i>Leuciscus idus</i> 96 h	LC50 = 330 mg/L 24 h (<i>Psammechinus miliaris</i>)
Sodium borate	158 mg/L EC50 96 h (<i>Desmodesmus subspicatus</i>) 2.6 - 21.8 mg/L EC50 96 h (<i>Pseudokirchneriella subcapitata</i>)	LC50= 340 mg/L <i>Limanda limanda</i> 96 h	LC50 1085 - 1402 mg/L 48 h (<i>Daphnia magna</i>)

Persistence and degradability No data is available on the product itself. Expected to be readily biodegradable.

Bioaccumulation: - No information available

Mobility - No information available

Chemical Name	log Pow
Hydroquinone	0.5
Diethylene glycol	-1.98
Sodium sulfite	-4

Other adverse effects
 No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local regulations.

Contaminated packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

DOT

UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Hydroquinone
Hazard class	9
Packing Group	III
Special Provisions	8, 146, 335, IB3, T4, TP1, TP29
Emergency Response Guide Number	171

TDG

	1.45.1 Marine Pollutants Exemption for non Bulk by ground shipments
UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Hydroquinone
Hazard class	9
Packing Group	III

ICAO/IATA

UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Hydroquinone
Hazard class	9
Packing Group	III
ERG Code	9L
Special Provisions	A97, A158

IMDG/IMO

UN/ID No	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.
Technical Name	Hydroquinone
Hazard class	9
Packing Group	III
EmS No.	F-A, S-F
Special Provisions	179, 274, 335, 909

This shipping size falls into limited quantity exemptions that do not require labeling or placarding except if transported by aircraft.

15. REGULATORY INFORMATION

International Inventories

TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

NZIoC Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances
NZIoC - New Zealand Inventory of Chemicals

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Hydroquinone - 123-31-9	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide	1000 lb			X

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydroquinone - 123-31-9		Group I		
Diethylene glycol - 111-46-6		Group I		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Product RQ
Hydroquinone	100 lb	100 lb	
Potassium hydroxide	1000 lb		

TSCA

Component	U.S. - TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
Hydroquinone 123-31-9 (5 - 10)	10/04/1984

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydroquinone	X	X	X	X	X
Diethylene glycol			X		X
Potassium hydroxide	X	X	X		X

International Regulations

Mexico - Grade

Moderate risk, Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Hydroquinone	A3	Mexico: TWA 2 mg/m ³
Sodium borate		Mexico: TWA 1 mg/m ³

16. OTHER INFORMATION

Disclaimer for Label

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

Warning!

- Contains:

Hazardous Components

Chemical Name	CAS-No	Weight %
Potassium sulfite	10117-38-1	20 - 25
Hydroquinone	123-31-9	5 - 10
Diethylene glycol	111-46-6	1 - 5
Sodium carbonate	497-19-8	1 - 5
Sodium sulfite	7757-83-7	1-5
Sodium borate	1330-43-4	0.1-1

May be harmful if swallowed. Causes eye irritation. May cause central nervous system depression. May cause adverse kidney effects.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Additional information is given in the Material Safety Data Sheet.

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.