

MATERIAL SAFETY DATA SHEET

Issuing date 2013-09-12

Revision Date 2013-09-12

Version 5

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name: READYMATIC Developer and Replenisher
KODAK READYMATIC DENTAL Developer and Replenisher

Product code: 1028869DEV

Supplier Carestream Health, Inc., 150 Verona Street, Rochester, New York 14608

Emergency telephone number
CHEMTREC: +1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

For other information contact: 800-328-2910

Product Use: Photographic chemical.

2. HAZARDS IDENTIFICATION

Warning!

Emergency Overview

Causes eye irritation.
May be harmful if swallowed

Physical state liquid

Odor Odorless

Color colorless

HMIS

Health Hazard - 2*

Flammability - 1

**Physical - 0
Hazard**

Potential Health Effects

Eyes

Irritating to eyes.

Skin

May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and cause irritation.

Inhalation

No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.

Ingestion

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Chronic Effects

Chronic toxicity

Effects expected to be similar to those seen acutely.

Aggravated Medical Conditions

Preexisting eye disorders. Skin disorders. Respiratory disorders.

Environmental hazard

See Section 12 for additional Ecological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous

Chemical Name	CAS-No	Weight %
Sodium sulfite	7757-83-7	1-5
Hydroquinone	123-31-9	<2.5
Sodium borate	1330-43-4	0.1-1

Non-Hazardous

Chemical Name	CAS-No	Weight %
Water	7732-18-5	80-90
Sodium bicarbonate	144-55-8	1-5

4. FIRST AID MEASURES

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention immediately if symptoms occur.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Get medical attention immediately if symptoms occur.
Ingestion	If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person.
Notes to physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash point:	Does not flash
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.
Hazardous Combustion Products	Hazardous decomposition products due to incomplete combustion.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA **Health Hazard - 2** **Flammability - 1** **Stability - 0**

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	For personal protection see section 8. Ensure adequate ventilation.
Methods for Containment	Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Other information See Section 12 for additional information.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs	OSHA PEL	Advisory OEL
Hydroquinone 123-31-9	TWA: 1 mg/m ³		TWA: 2 mg/m ³	
Sodium borate 1330-43-4	STEL 6 mg/m ³ TWA: 2 mg/m ³			
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m ³			

Occupational Exposure Controls

Engineering Measures Ensure adequate ventilation. Apply technical measures to comply with the occupational exposure limits.

Personal Protective Equipment

General Information These recommendations apply to the product as supplied.

Respiratory protection Use only with adequate ventilation. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Eye/Face Protection Safety glasses with side-shields. If splashes are likely to occur, wear: Goggles.

Skin and body protection Wear suitable protective clothing.

Hand Protection Impervious gloves.

Other Protective Equipment Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

ph 10.1

Flash point: Does not flash

Boiling point/boiling range > 100 °C

Odor Odorless

Color colorless

Autoignition temperature: No information available

Vapor Pressure 24 mbar @ 20 °C

Vapor density 0.6

Density No information available
Water Solubility completely soluble
Melting point/range: No information available
Specific Gravity 1.08
Bulk Density: No information available

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.
Incompatible products Strong acids. Oxidizing agents.
Conditions to Avoid Do not freeze.
Hazardous Decomposition Products Carbon oxides, Sulfur oxides.
Hazardous Polymerization Hazardous polymerization does not occur.
Hazardous Reactions Contact with strong acids liberates sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity - Product Information

Skin May cause skin irritation and/or dermatitis. Prolonged or repeated contact may dry skin and cause irritation.
Eyes Irritating to eyes.
Inhalation No hazard from product as supplied. May cause irritation of respiratory tract. Contact with strong acids liberates sulfur dioxide.
Ingestion May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90,000 mg/kg (Rat)		
Sodium sulfite	820 mg/kg (Rat)		22 mg/L (Rat) 1 h 5.5 mg/L (Rat) 4 h
Hydroquinone	320 mg/kg (Rat)	> 4800 mg/kg (Rat)	
Sodium bicarbonate	4220 mg/kg (Rat)		
Sodium borate	2403 mg/kg (Rat)	2000 mg/kg (Rabbit)	
Chemical Name	Other applicable information		
Sodium sulfite	No skin irritation Mild eye irritation		

Hydroquinone	<p>Moderate eye irritation Causes sensitization on guinea-pigs. Mild skin irritation Can be absorbed through skin. (1.1 ug/cm2/hr) Negative in bacterial mutagenicity assays. Evidence for mutagenicity (chromosome breakage, sister-chromatid exchanges) in in vivo and in vitro animal studies. Hydroquinone has been classified as a Category 3 mutagen and carcinogen by the European Union based on testing of rats and mice given hydroquinone by stomach tube or at high dietary levels. The International Agency for Research on Cancer (IARC) under ranking for cancer potential has classified hydroquinone in Group 3, i.e. "not classifiable" as a carcinogen. In the European Union a Category 3 mutagen attracts the risk phrase R68 "Possible risk of irreversible effects" at concentrations above 1%, and a Category 3 carcinogen attracts the risk phrase R40 "Limited evidence of a carcinogenic effect" at concentrations above 1%. Exposure to products containing such substances should be controlled to below established control limits and special care should be taken with pregnant or breast-feeding women to ensure appropriate controls are in place to control the risk.</p>
Sodium borate	<p>Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, the doses administered were many times those to which humans would normally be exposed.</p>

Subchronic toxicity No information available

Chronic toxicity Effects expected to be similar to those seen acutely.

Carcinogenicity Contains a known or suspected carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydroquinone	A3			

ACGIH: (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen

Sensitization This mixture contains hydroquinone which is classified as a dermal sensitizer in some jurisdictions. A very similar mixture was negative in dermal sensitization studies with and without prior sensitization to hydroquinone. Based on the results of these studies, this mixture is not expected to present a dermal sensitization hazard to humans.

mutagenic effects No specific testing was done on this product. Mutagenic testing of the hazardous ingredient in this product has resulted in some positive mutagenic results.

Reproductive toxicity Contains ingredients that are suspected reproductive hazards. However, based on available data the product should not be classified for reproductive effects.

Target Organ Effects Skin, Eyes, Respiratory system.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effects The environmental impact of this product has not been fully investigated.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates

Sodium sulfite		LC50 220 - 460 mg/L Leuciscus idus 96 h	LC50 = 330 mg/L 24 h (Psammechinus miliaris)
Hydroquinone	13.5 mg/L EC50 120 h (Desmodesmus subspicatus) 0.335 mg/L EC50 72 h (Pseudokirchneriella subcapitata)	LC50= 0.044 mg/L Oncorhynchus mykiss 96 h LC50= 0.044 mg/L Pimephales promelas 96 h LC50 0.1 - 0.18 mg/L Pimephales promelas 96 h LC50= 0.17 mg/L Brachydanio rerio 96 h	EC50 = 0.29 mg/L 48 h (Daphnia magna)
Sodium bicarbonate	650 mg/L EC50 120 h (Nitzschia linearis)	LC50 8250 - 9000 mg/L Lepomis macrochirus 96 h	EC50 = 2350 mg/L 48 h (Daphnia magna)
Sodium borate	158 mg/L EC50 96 h (Desmodesmus subspicatus) 2.6 - 21.8 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50= 340 mg/L Limanda limanda 96 h	LC50 1085 - 1402 mg/L 48 h (Daphnia magna)

Persistence and degradability No information available

Bioaccumulation: - No information available

Mobility - No information available

Chemical Name	log Pow
Sodium sulfite	-4
Hydroquinone	0.5

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Should not be released into the environment. Dispose of in accordance with local regulations.

Contaminated packaging Do not re-use empty containers. Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

DOT Not regulated

TDG Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

For transportation information, go to: <http://ship.carestreamhealth.com>.

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDL Complies

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies
NZIoC	Complies

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Hydroquinone - 123-31-9	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Hydroquinone - 123-31-9		Group I		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	SARA Product RQ
Hydroquinone	100 lb	100 lb	

TSCA

Component	U.S. - TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
Hydroquinone 123-31-9 (<2.5)	10/04/1984

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Hydroquinone	X	X	X	X	X
Sodium borate	X		X		

International Regulations

Mexico - Grade Moderate risk, Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Hydroquinone	A3	Mexico: TWA 2 mg/m ³
Sodium borate		Mexico: TWA 1 mg/m ³

16. OTHER INFORMATION

Disclaimer for Label

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

Warning!

- Contains:

Hazardous Components

Chemical Name	CAS-No	Weight %
Sodium sulfite	7757-83-7	1-5
Hydroquinone	123-31-9	<2.5
Sodium borate	1330-43-4	0.1-1

Causes eye irritation. May be harmful if swallowed.

Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling.

IF IN EYES: Flush eyes for at least 15 minutes. Get medical attention.

If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person.

Additional information is given in the Material Safety Data Sheet.

Disclaimer
 The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text