

SAFETY DATA SHEET

Issuing Date: 11-Mar-2015

Version 1

Autex Fixer Bi-Pack Fresh Scent

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Autex Fixer Bi-Pack Fresh Scent

Product code 23016-FSA

Product Use X-ray processing.

Manufactured by

FUJIFILM Hunt Chemicals U.S.A., Inc.
40 Boroline Road
Allendale, NJ 07401-0320

MSDS are available at the following website(s): <http://www.fujifilmusa.com/msds>

Company Phone Number U.S.A: 800-473-3854

Emergency Telephone Transport-CHEMTREC Inside NA: 800-424-9300
Transport CHEMTREC Outside NA: 703-527-3887
Transport-CANUTEC Inside Canada: 613-996-6666
Medical Emergency (24 hour): 877-935-7387

E-mail EHS@fujifilm.com

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1

GHS Label elements, including precautionary statements

Danger

Hazard Statements

Causes skin irritation
Causes serious eye damage



Precautionary Statements**Prevention**

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Storage

Not applicable

Disposal

Not applicable

Hazards not otherwise classified (HNOC)

Not classified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
ACETIC ACID	64-19-7	1-5%

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Do not get in eyes, on skin, or on clothing. If symptoms persist, call a physician.
Eye contact	In case of contact with substance, immediately flush eyes with running water for at least 30 minutes. Do not rub affected area. Keep eye wide open while rinsing. Call a physician immediately.
Skin contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	If swallowed, do not induce vomiting - seek medical advice.

Most important symptoms/effects, acute and delayed

May cause redness, itching, and pain. Burning feeling and temporary redness.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None known.

Specific hazards arising from the chemical

None known.

Explosion Data

Sensitivity to Mechanical Impact none

Sensitivity to Static Discharge none

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment. Cover liquid spill with sand, earth or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Wear personal protective equipment. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Handle product only in closed system or provide appropriate exhaust ventilation at machinery. In case of insufficient ventilation, wear suitable respiratory equipment.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	AIHA - Workplace Environmental Exposure Levels (WEELs) - TWAs
ACETIC ACID	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m ³ (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m ³	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³	

Exposure controls

Engineering Measures Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face-shield.

Skin and body protection Wear protective gloves/clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Take off contaminated clothing and wash before reuse. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, Light amber	Odor	Slight, Vinegar-like
Odor Threshold	Not available	Physical State @20°C	Aqueous Solution
pH	5.2	Molecular Weight	Not available
Specific Gravity	1.35	Autoignition temperature	Not available
Flash point	> 201 °F / > 94 °C	Boiling point / boiling range	> 212 °F / > 100 °C
Decomposition temperature	Not available	Freezing Point	Not available
Melting point / melting range	Not available		
Flammability Limit in Air	Not available		
Oxidizing Properties	Not available	Explosive Property Details	Not available
Solubility	Soluble in water	Partition coefficient	Not available
Evaporation rate	Not available	Vapor Pressure	Not available
Vapor density	Not available	Density	Not available
VOC (lb/gal)	0	VOC (g/l)	0
Dynamic viscosity	Not available		

10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage conditions

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Excessive heat. Freezing.

Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Acute toxicity

Inhalation

Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eyes

Corrosive to the eyes and may cause irreversible eye damage.

Skin

Irritating to skin.

Ingestion

Ingestion may cause stomach discomfort.

Component Information

Chemical Name	Oral LD50	Dermal LD50	LC50 (lethal concentration)
ACETIC ACID	600 mg/kg (Rabbit) [NZ CCID]	1060 mg/kg (Rabbit)	11.4 mg/L (Rat) 4 h

Information on toxicological effects

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to skin. Severe eye irritant.

Corrosivity

Corrosive to eyes.

Sensitization

No information available.

Mutagenic Effects

No information available.

Reproductive Toxicity

No information available.

Carcinogenicity

None known.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Target Organ Effects

Eyes, Respiratory system, Skin, Teeth.

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	4097 mg/kg
ATEmix (dermal)	50175 mg/kg
ATEmix (inhalation-dust/mist)	285.7 mg/l

ATE: Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae toxicity	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
ACETIC ACID		Pimephales promelas: 79 mg/L at 96 h		65: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

Chemical Name	Octonol Water Partition Coefficient (log pow)
ACETIC ACID	-0.31

Mobility

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

Dispose of in accordance with local regulations.

Contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA Not regulated

IMDG Not regulated

ADR/RID Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	Yes
DSL/NDSL	No
PICCS	No
EINECS/ELINCS	No
ENCS	No
IECSC	No
KECL	No
AICS	No

***Yes - All component(s) of this product are included or are exempt from listing on the inventory.**

***No - Indicates the component(s) of this product are either not listed or have not been determined to be listed on the inventory.**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations**TSCA Sections 4, 5 and 12(b)**

This product does not contain any chemicals regulated by TSCA Sections 4, 5 or 12(b).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS No	SARA 313 - Threshold Values %	Weight-%
AMMONIUM THIOSULFATE	7783-18-8	1.0	20-40%

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	no
Fire Hazard	no
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETIC ACID	5000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
ACETIC ACID	5000		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
ACETIC ACID	X	X	X		X

International Regulations**Canada - NDSL**

This product does not contain any NDSL chemicals.

Mexico - Grade

Slight risk, Grade 1

Mexico - Carcinogen Status and Exposure Limits

Chemical Name	Carcinogen Status	Exposure Limits
ACETIC ACID		Mexico: TWA 10 ppm Mexico: TWA 25 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 37 mg/m ³

Other Regulations

No information available

16. OTHER INFORMATION

NFPA	Health Hazard 3	Flammability 1	Instability 0	Physical and chemical hazards - Personal protection C
HMIS	Health Hazard 3	Flammability 1	Physical Hazard 0	

Prepared By FUJIFILM Environment, Health and Safety, phone: 800-473-3854

Revision Date 11-Mar-2015

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

end